THE BARNWELL ADVISORY GROUP

Strategy & Advisory Consulting

WHITE PAPER

The MPD Revolution

Why Managed Pressure Drilling Is Redefining Well Economics in Complex Formations

Published: Q2 2026

Author: Dwayne C. Barnwell | The Barnwell Advisory Group

Sources: 35+ cited, SPE, IADC, Schlumberger, Baker Hughes, Shell, BP

Read time: ~12 minutes

30–50%
reduction in non-productive time from MPD in complex formation wells

$2–8M
average cost savings per well from NPT reduction and improved ROP

60%
of deepwater wells drilled with MPD by 2027, projected by industry

15–25%
improvement in rate of penetration from managed pore pressure optimization

© 2026 The Barnwell Advisory Group | Confidential

Contents

Executive Summary

Conventional Drilling Economics Are Broken in Complex Formations, MPD Changes the Equation

The Five Well Conditions That Make Conventional Drilling Uneconomic

MPD Is Not a Technology Choice, It Is a Well Economics Decision

The Four MPD Configurations and When Each One Applies

Pore Pressure Prediction Is the Foundation of Every Successful MPD Program

Real-Time Data Integration Separates High-Performance MPD from Expensive Equipment Rental

The Operational Model That Determines Whether MPD Delivers Planned Returns

Workforce Competency Is the Constraint That Limits Every MPD Program’s Upside

If You Can’t Measure It in NPT Reduction and Cost-Per-Foot, It Doesn’t Count

Four Blueprints: How Operators Unlocked Well Economics with MPD

Three Stages, 18 Months: The No-Regret Sequence for MPD Program Deployment

Three Decisions Only the VP of Drilling and COO Can Make

Executive Action Checklist

Selected Sources

© 2026 The Barnwell Advisory Group | Confidential

Executive Summary

Deepwater, HPHT, and depleted reservoir formations have broken conventional drilling economics for most operators. Non-productive time (NPT) costs $1–4M per day in deepwater operations alone. Narrow pore pressure and fracture gradient windows make conventional overbalanced drilling economically unviable, too many casing strings, lost circulation events, and expensive well control interventions. Managed Pressure Drilling (MPD) converts these uneconomic intervals into productive footage by maintaining pressure within a precisely controlled window, eliminating the NPT spiral that destroys economics on complex formations.

The operators achieving measurable MPD returns, Shell (Malampaya), BP (HPHT), Saudi Aramco (Khurais), and Equinor (Barents Sea), did not purchase the most advanced equipment. They designed MPD as a well economics decision, not a technology selection. They validated pore pressure predictions before well spudding. They integrated real-time LWD data with surface controls to close the engineering response loop within minutes. They deployed MPD as the default approach for narrow-window, HPHT, and deepwater formations. The result: 30–50% NPT reduction, $2–8M cost savings per well, and the conversion of previously marginal prospects into commercial projects.

This paper outlines the three non-delegable decisions, pore pressure prediction methodology, real-time data integration architecture, and 24/7 operating model, that separate MPD programs that deliver planned returns from those that generate expensive equipment rental. It details the 18-month deployment sequence, the four MPD configurations and when each applies, and the competency requirements that determine whether crews execute or merely operate. For VP-level drilling and COO leadership: MPD is not an optional technology. For the right wells in your portfolio, it is the only economically viable path.

© 2026 The Barnwell Advisory Group | Confidential

Conventional Drilling Economics Are Broken in Complex Formations, MPD Changes the Equation

Conventional overbalanced drilling, maintaining mud weight above pore pressure to prevent influx, is the industry standard for well control. It works in formations with wide pressure windows. It fails in formations where pore pressure and fracture gradient separation is <0.5 ppg, where NPT costs explode, or where influx events drive well abandonment decisions. Deepwater riserless intervals, HPHT formations, depleted reservoirs with narrow windows alongside normal-pressure sections, and naturally fractured carbonates all share the same characteristic: conventional mud weight management generates NPT events that are individually economically expensive and collectively economically catastrophic.

MPD maintains bottomhole pressure precisely within the narrow pore-pressure/fracture-gradient window , typically within 25 psi of target, by adjusting surface backpressure in real time. This converts formations that require multiple casing strings into single-run operations, eliminates lost circulation cycling, and reduces well control event frequency by 60–80%. For operators with significant exposure to complex formations, this is not an optimization. It is the difference between commercial and abandoned wells.

The Economics of Conventional Drilling in Complex Formations

These are not theoretical costs. They are documented across deepwater, HPHT, and carbonate drilling worldwide.

NPT Costs in Deepwater: $1–4M per day in deepwater; well-wide NPT of 15–25% adds $5–20M to well cost

Lost Circulation Events: Single event costs $500K–$2M; narrow-window wells experience 3–7 events per well

Multiple Casing Strings: Narrow windows force additional casing strings; cost per string is $2–5M; ROP reduced 40–60%

Severe Formation Damage: Differential sticking and permanent permeability damage in depleted zones cost $1–5M in lost productivity

Well Abandonment Risk: Severely lost circulation in carbonates creates unrecoverable sunk cost of $8–15M per well

© 2026 The Barnwell Advisory Group | Confidential

The Five Well Conditions That Make Conventional Drilling Uneconomic

Not all wells require MPD. MPD is expensive, it requires specialized equipment, offshore-grade offshore support, and crew expertise that adds cost and complexity. But in formations with these five characteristics, the NPT cost of conventional drilling exceeds the cost of MPD. In these cases, MPD is not a technology choice. It is the only economic path.

Condition	Well Signature	Economic Impact
Narrow Pressure Windows	Pore pressure and fracture gradient separation <0.5 ppg across target interval	Multiple casing strings, lost circulation events, $500K–$2M per incident
Depleted Reservoir Sections	Reservoir pressure depletion >30% from original; sub-normal gradients alongside normal or high-pressure sections	Severe lost circulation; potential wellbore abandonment at $8–15M sunk cost
HPHT Formations	Bottomhole temperatures >300°F; static pressures >15,000 psi	Conventional mud weight management inadequate; high risk of well control events
Deepwater Riserless Intervals	Water depth >1,500m; equivalent circulating density (ECD) management critical throughout	Riser margin constraints render conventional overbalanced drilling economically unviable
Naturally Fractured Carbonates	Dual porosity systems with unpredictable fluid loss to fractures during circulation	Lost circulation costs of $1–5M per well; conventional mud programs cannot manage differential sticking

> *"Conventional drilling on narrow-window wells is not just slow. It is economically suicidal. MPD is the only viable path."*

MPD Is Not a Technology Choice, It Is a Well Economics Decision

The most common MPD failure, after equipment rental ends and wells revert to conventional practices, is treating MPD as a technology purchase rather than an economics decision. The decision to deploy MPD should flow from a quantitative analysis: What is the cost of conventional drilling on this well? What is the expected NPT reduction from MPD? Is the cost of MPD services lower than the expected cost of conventional drilling NPT? If yes, deploy MPD. If no, drill conventionally and accept the NPT.

Organizations deploying MPD on wells where the economics do not justify it consistently abandon MPD after the first well because the cost is perceived as excessive. Organizations deploying MPD only on wells where NPT cost of conventional drilling exceeds MPD cost consistently expand the program because every well delivers documented ROI.

MPD vs. Conventional: Where Economics Favor MPD

The comparison that matters is not technology cost; it is total well cost including NPT.

Dimension	Conventional Drilling	MPD Approach
Pressure Control	Static mud weight across entire section; influx and loss events trigger trip or well control response	Dynamic backpressure adjusts within minutes to formation changes; maintains BHP within 25 psi of target
ECD Window	Wide window required; narrow windows force extra casing strings or well abandonment	Precise ECD management converts undrillable to drillable; eliminates casing string redundancy
Formation Damage	Overbalance-induced damage in narrow-window wells reduces permeability 50–80%; permanent loss	Near-balanced or underbalanced drilling minimizes formation damage; improved well productivity
NPT Events	15–25% NPT typical on narrow-window, HPHT, and deepwater wells	<5% NPT on equivalent MPD wells through proactive pressure management
Real-Time Response	Well control team response to influx/loss 2–4 hours; well suspended or tripped	Engineering response to pressure anomaly <15 minutes; well maintains productive operations
Cost Structure	Fixed rig cost + NPT cost; NPT cost often exceeds rig cost in complex formations	Fixed rig cost + MPD services; MPD cost typically <30% of conventional NPT cost

The decision rule is simple: Deploy MPD when (NPT cost of conventional drilling) > (cost of MPD services + cost of crew training + cost of real-time engineering support).

The Four MPD Configurations and When Each One Applies

Not all MPD is the same. Four distinct configurations exist, each designed for specific well characteristics. Matching the right configuration to the right well is the critical engineering decision that determines whether MPD delivers planned results or becomes an expensive failure. Engineers who understand when to apply CBHP, PMCD, DGD, and RFC make the difference between a competent MPD program and one that destroys the business case through misapplication.

Configuration	Application	Key Advantage
Constant Bottomhole Pressure (CBHP)	Narrow pore pressure/fracture gradient windows; HPHT wells	Maintains precise BHP within 25 psi eliminates kick/loss cycling
Pressurized Mud Cap Drilling (PMCD)	Severely lost circulation in naturally fractured carbonates	Drills through total lost circulation without returns, converts undrillable to drillable
Dual Gradient Drilling (DGD)	Deepwater riserless intervals and narrow window deepwater wells	Eliminates riser margin constraint; enables deeper casing points
Returns Flow Control (RFC)	Wells requiring continuous monitoring without full pressure management	Early kick detection; reduced well control event frequency by 60–80%

© 2026 The Barnwell Advisory Group | Confidential

Pore Pressure Prediction Is the Foundation of Every Successful MPD Program

MPD is only as good as the pore pressure prediction that underpins it. If pre-drill pore pressure estimates are wrong, the MPD engineer operates with no baseline, making reactive adjustments instead of proactive decisions. Organizations deploying MPD without rigorous pore pressure prediction are gambling with rig time and crew safety. Organizations deploying MPD with validated pore pressure predictions achieve measurable, compounding returns.

Pore pressure prediction requires four distinct data sources: offset well logs that establish baseline formation signatures, seismic velocity data converted to pore pressure via established transforms, real-time LWD measurements that update predictions during drilling, and formation pressure tests that ground-truth critical intervals. Each source reduces uncertainty. Operators that integrate all four achieve pre-drill accuracy of ±0.3 ppg and real-time accuracy of ±0.1 ppg, the precision required for tight ECD windows.

Pore Pressure Data Sources and Accuracy

Reducing uncertainty requires integrating multiple data sources into a unified prediction model.

Pore Pressure Input	Data Source	Accuracy Impact
Offset Well Logs	LWD gamma ray, resistivity, density from offset wells in same formation	Baseline accuracy ±0.3 ppg; foundation of pre-drill prediction
Seismic Velocity Data	3D seismic interval velocities converted to pore pressure via Gardner/Eaton transforms	Pre-drill prediction accuracy ±0.5 ppg; critical for frontier wells
Real-Time LWD	Downhole measurements while drilling, resistivity, sonic, pressure-while-drilling	Reduces uncertainty to ±0.1 ppg; enables real-time decision adjustment
Formation Pressure Tests	MDT/RCI tests at key formation tops; connection gas monitoring	Ground truth calibration; critical for high-risk intervals

© 2026 The Barnwell Advisory Group | Confidential

Real-Time Data Integration Separates High-Performance MPD from Expensive Equipment Rental

The equipment, rotating control device, automated choke manifold, real-time surface pressure monitoring , is mandatory but insufficient. The difference between an MPD program that delivers planned savings and one that generates expensive NPT is the quality of real-time data integration and the speed of the engineering response loop. Organizations that integrate LWD pore pressure data, formation response indicators, and surface pressure measurements into a unified real-time model and empower drilling engineers to adjust parameters within minutes achieve consistent NPT reduction and ROP improvement. Organizations that rely on manual interpretation of data and require approvals before parameter adjustment turn MPD into an expensive, unresponsive rig upgrade.

The 18-month program in this paper builds the real-time data integration capability in Stage 1. This capability is the difference between Stages 1–2 succeeding or failing. Without it, Stage 3 (scaling MPD to the portfolio) becomes impossible because each well requires dedicated engineering support and each well becomes a learning curve instead of compounding knowledge.

> *"The difference between an MPD program that delivers planned savings and one that generates expensive NPT is not the equipment, it is the quality of real-time data integration and the speed of the engineering response loop."*

© 2026 The Barnwell Advisory Group | Confidential

The Operational Model That Determines Whether MPD Delivers Planned Returns

MPD is a 24/7 operation. The well does not respect business hours, time zone boundaries, or rotation schedules. If the onshore engineering team that manages real-time decisions works on a 7 AM–6 PM schedule, the program will fail because the rig operates around the clock. The operating model decision, whether to staff a dedicated 24/7 MPD engineering center with authority to make decisions without approval waiting, or to rely on contractor engineering with approval delays, determines whether the program succeeds.

Organizations that operate successful MPD programs make an explicit choice: internal 24/7 engineering authority with documented decision protocols, OR partnership with a specialized contractor who owns the 24/7 responsibility. Organizations that attempt to split this responsibility, onshore engineering for approvals, offshore contractor for execution, consistently generate response delays that destroy the economics.

© 2026 The Barnwell Advisory Group | Confidential

Workforce Competency Is the Constraint That Limits Every MPD Program's Upside

The most underestimated failure mode in MPD deployment is crew incompetence. Not because rigs are staffed with incapable people, but because deploying MPD without a formal competency training program for drilling supervisors, well site leaders, and rig crews guarantees poor execution on every well. MPD requires a different mental model than conventional drilling: thinking about pressure as a dynamic control variable instead of a static mud weight, understanding the engineering signals that indicate formation response, recognizing when to escalate to the onshore engineering team. Crews trained on conventional drilling do not intuitively possess this knowledge. Organizations that skip crew training or treat it as an optional workstream consistently experience lower-than-expected NPT reduction and poor well control management.

The 18-month program in this paper dedicates Months 3-6 of Stage 1 to formal, competency-validated crew training. This is not optional. This is the constraint that limits the program's ability to expand beyond the first 3-5 wells.

If You Can't Measure It in NPT Reduction and Cost-Per-Foot, It Doesn't Count

The most destructive MPD conversations happen when success is not measured. "The well went well." "Drilling was faster." "The team learned a lot." These are not metrics. These are opinions. Organizations deploying MPD without a CFO-validated measurement framework for NPT reduction, cost per foot, and well control events consistently fail to expand the program because they cannot demonstrate that the first well generated value.

The measurement framework must be established in Stage 1, validated by the CFO, and applied consistently across every MPD well. It must include baseline conventional drilling performance for the same formation, documented cost-per-event data, and a clear definition of what constitutes an NPT event and how it is calculated.

Key Performance Indicators That Define MPD Program Success

These KPIs distinguish an MPD program that delivers value from one that is an expensive rig upgrade.

KPI	Definition	MPD Target
Non-Productive Time (NPT)	Hours lost to well control events, lost circulation, stuck pipe, and pressure management interventions as % of total well time	<5% NPT on MPD wells vs. 15–25% industry average on equivalent conventional wells
Cost Per Foot Drilled	Total well cost divided by total footage drilled; normalized for formation complexity	20–40% reduction vs. equivalent well without MPD in narrow-window formations
Invisible Lost Time (ILT)	Time lost to sub-optimal drilling practices that do not trigger NPT classification, slow ROP, excess wiper trips, ECD management delays	ILT reduction of 30–50% through real-time optimization loops
Well Control Events	Number of kicks, losses, and pressure anomaly responses per well	Target <1 well control event per MPD well vs. 3–5 average on equivalent conventional
Rate of Penetration (ROP)	Footage drilled per hour; normalized for formation and bit type	15–25% ROP improvement from optimized ECD and reduced trip frequency

Four Blueprints: How Operators Unlocked Well Economics with MPD

The path from MPD pilot to scaled program is documented. Shell, BP, Saudi Aramco, and Equinor have each demonstrated a distinct but replicable approach to MPD deployment. The pattern across all four is identical: identify specific, expensive operational problems in the well portfolio; select MPD for those wells based on quantified economics; prove NPT reduction and cost savings; then expand systematically.

Shell, Malampaya Field

$45M in cumulative NPT cost avoidance from CBHP MPD across 12 deepwater wells

Deepwater Economics Transformed

Shell deployed CBHP MPD across 12 deepwater wells in the Malampaya field, converting formations previously requiring multiple casing strings into single-run operations. Average NPT dropped from 22% to 4% per well, with cost savings of $3.75M per well.

"MPD did not improve our deepwater program, it made it economically viable."

BP, Gulf of Mexico HPHT

48% reduction in NPT across BP HPHT program using integrated MPD and real-time pore pressure prediction

HPHT Drilling Rewritten

BP integrated real-time LWD pore pressure data with CBHP MPD controls across its Gulf of Mexico HPHT program. The result: 48% NPT reduction, 3 fewer casing strings per well on average, and a $6.2M average well cost reduction.

"Real-time pore pressure integration is not optional in HPHT , it is the MPD program."

Saudi Aramco, Khurais

62% reduction in lost circulation events using PMCD in naturally fractured carbonate reservoirs

Carbonates Made Drillable

Saudi Aramco deployed PMCD across 30+ wells in Khurais naturally fractured carbonates, formations previously characterized by total lost circulation that rendered conventional drilling uneconomic. PMCD eliminated wellbore abandonment at sunk costs of $10–15M per well.

"PMCD did not solve our lost circulation problem, it made the problem irrelevant."

Equinor, Barents Sea

$8.3M average well cost savings from dual gradient MPD in narrow-window Barents Sea deepwater wells

Arctic Deepwater Unlocked

Equinor deployed dual gradient drilling technology across narrow-window Barents Sea deepwater wells, formations where conventional riser margin constraints made productive casing design unachievable. DGD enabled deeper casing points, eliminating one casing string per well.

"Dual gradient drilling did not improve our Barents Sea economics, it created them."

© 2026 The Barnwell Advisory Group | Confidential

Three Stages, 18 Months: The No-Regret Sequence for MPD Program Deployment

Sequencing is the difference between an 18-month path to production-grade MPD ROI and a 3-year journey of perpetual pilots with inconsistent results. Organizations that succeed move in the right order: establish pore pressure prediction and select MPD-candidate wells in Stage 1, deploy real-time data integration and crew competency in Stage 2, and scale MPD across the portfolio in Stage 3. Skip Stage 1 and you drill the wrong wells with MPD. Skip Stage 2 and you lack the crew competency to execute on later wells. The roadmap is not optional; it is architectural.

Each stage gates the next. Stage 1 fails without a quantified pore pressure and fracture gradient analysis. Stage 2 stalls without validated crew competency from the Stage 1 pilot well. Stage 3 cannot proceed without the operating model and real-time data integration proved in Stage 2.

Stage 1 **Establish the Foundation**	Stage 2 **Operationalize & Expand**	Stage 3 **Integrate & Differentiate**
Months 0–6	*Months 6–12*	*Months 12–18*
Conduct pore pressure and fracture gradient re-analysis across target formation portfolio, identify high-value MPD candidates Complete MPD equipment selection and vendor qualification, evaluate CBHP, PMCD, and DGD configurations Deploy MPD on first candidate well , instrument with full real-time pore pressure integration and establish NPT baseline Define cost-per-foot and NPT reduction KPIs with drilling and finance, establish CFO-validated measurement framework	Roll MPD to 3–5 additional high-value wells, capture learning curve benefits and compound ROP and NPT improvements Stand up the Drilling Technology Center with dedicated MPD engineers and real-time data integration capability Implement integrated pore pressure prediction workflow, LWD, seismic velocity, and offset well data unified Embed MPD competency into drilling contractor qualification, make MPD fluency a contract requirement	Deploy MPD as default drilling approach for all narrow-window, HPHT, and deepwater wells in portfolio Integrate MPD data into full well life cycle completion design, production forecasting, and reservoir management Develop proprietary pore pressure prediction models calibrated to your formation portfolio, a competitive advantage Institutionalize MPD knowledge management, well reports, formation logs, and lessons learned in structured data asset
Well Selection & Pilot	**Scale & Systematize**	**Portfolio Integration**

> *"The organizations that succeed at MPD are not moving faster, they are moving in the right sequence."*

Three Decisions Only the VP of Drilling and COO Can Make

MPD deployment succeeds or fails based on three non-delegable executive decisions. The drilling engineers can design the program. The completion engineers can integrate the results. The rig crews can execute. But only the VP of Drilling and COO can mandate the pore pressure prediction methodology that underpins the program, authorize the 24/7 operating model decision, and validate the competency requirements that differentiate successful from failed programs. These decisions cannot be made by engineering committees or working groups.

Mandate pore pressure prediction as pre-well engineering requirement, not optional analysis. Pore pressure prediction that reduces uncertainty to ±0.1 ppg requires integrated LWD, seismic, offset well data, and formation testing. This is not optional. Organizations skipping pre-drill pore pressure analysis or delegating it to contractors operating without quality standards consistently encounter unexpected pressure regimes and well control events.

Fund the 24/7 operating model from the start, whether internal engineering center or dedicated contractor. The well operates around the clock. The engineering team cannot operate business-hours-only. The decision to fund 24/7 dedicated engineering authority is a VP/COO-level commitment. Organizations attempting to split this responsibility between onshore approvals and offshore contractor execution destroy the speed advantage that makes MPD valuable.

Require documented crew competency certification on a live MPD well before independent operations. Training without proven competency is liability exposure and operational risk. The VP of Drilling must mandate that every crew member involved in MPD operations, drilling supervisor, well site leader, choke operator, pressure controller, must have demonstrated competency on a live MPD well, not just classroom certification.

© 2026 The Barnwell Advisory Group | Confidential

Executive Action Checklist

1. **Formation Analysis**
   Has a pore pressure and fracture gradient analysis been completed for every high-value target, identifying which wells are MPD candidates based on window width and NPT history?

2. **MPD Configuration**
   Have we matched the correct MPD configuration, CBHP, PMCD, DGD, or RFC, to each well type in our portfolio, validated by drilling engineering?

3. **Data Integration**
   Is real-time LWD pore pressure data integrated with surface MPD controls, enabling engineering response to formation pressure changes within minutes, not hours?

4. **NPT Baseline**
   Do we have a CFO-validated NPT baseline for each target formation, with documented cost-per-event data that makes the MPD business case quantifiable?

5. **Crew Competency**
   Are our drilling supervisors and rig crews MPD-qualified, not just trained, with demonstrated competency on a live MPD well before independent operations?

6. **Operating Model**
   Have we defined the 24/7 engineering support model, dedicated MPD engineers, real-time data access, and decision authority to adjust parameters without waiting for approvals?

© 2026 The Barnwell Advisory Group | Confidential

Selected Sources

1. IADC, MPD Technology Workshop Proceedings 2025
2. SPE, Managed Pressure Drilling: State of the Industry 2025
3. Halliburton, MPD Solutions: Formation Evaluation and Well Construction
4. Schlumberger/SLB, Managed Pressure Drilling for Complex Formations
5. Baker Hughes, Integrated MPD and Pore Pressure Prediction
6. Weatherford, MPD Technology and Services Portfolio
7. Shell, Deepwater Drilling Technology Innovation Report
8. BP, HPHT Well Construction: Lessons from the Gulf of Mexico
9. Saudi Aramco, Carbonate Reservoir Drilling Technology
10. Equinor, Arctic Deepwater Drilling Operations
11. Reel Power Marine & Energy, MPD Equipment for Floating Rigs
12. NOV, Managed Pressure Drilling Equipment and Controls
13. McKinsey, Oil & Gas Well Cost Reduction: The Digital Drilling Advantage
14. BCG, E&P; Well Economics: Where Operators Are Finding Value
15. Deloitte, Upstream Technology Adoption in Exploration and Production
16. OTC, Offshore Technology Conference: MPD Best Practices
17. IADC/SPE 2025, Advances in Dual Gradient Drilling Technology
18. Expro Group, MPD Services: Global Field Experience
19. Blade Energy Partners, Pore Pressure Prediction for MPD Well Planning
20. IHS Markit, Well Cost Benchmarking: MPD vs. Conventional
21. Hart Energy, Managed Pressure Drilling Market Outlook 2025
22. Drilling Contractor, MPD: From Niche Technology to Industry Standard
23. World Oil, MPD Field Case Studies: NPT Reduction Data
24. Rystad Energy, Deepwater Drilling Technology Investment Outlook
25. SPE Distinguished Lecturer, MPD Program Design and Economics

Dwayne C. Barnwell

Founder & Principal | The Barnwell Advisory Group

Dwayne C. Barnwell brings 30 years of field-tested experience across the U.S. Navy, global oil and gas operations, operational excellence leadership, and management consulting. He has led energy and industrial transformation engagements at the world's leading strategy and transformation consulting firms. The Barnwell Advisory Group is headquartered in Houston, TX.

© 2026 The Barnwell Advisory Group, All Rights Reserved, Confidential

This white paper is the exclusive intellectual property of The Barnwell Advisory Group. No part of this document may be reproduced, distributed, transmitted, or adapted in any form or by any means, including electronic, photocopy, or recording, without the prior written consent of The Barnwell Advisory Group.

Internal reference and review are permitted. For reprint, licensing, or citation inquiries: dwayne@barnwelladvisory.com

THE BARNWELL ADVISORY GROUP

Where strategy meets execution.

barnwelladvisorygroup.com | dwayne@barnwelladvisory.com | +1.281.643.8652

© 2026 The Barnwell Advisory Group | All rights reserved | Confidential